

DYNAMIC TAGS FOR BARCODE

1- Serialized Item Barcode (Serialized item menu)

{ItemNumber}
{ItemDescription}
{WarehouseName}
{DistributorName}
{GrnNumber}
{GrnDate}
{poNumber}
{PODate}
{ItemPrice}
{InvoiceNumber}
{BrandName}
{BracodeNumber}
{Brnd}
{\$ItemCost}
{ItemCost}
{SerialNumber}
{SLNO}
{SLNumber}
{serialnumber}
{slnumber}
{sln}

2 – PRINT Item Bin Barcode (Item grid page under Action button)

{LocationBarcode}
{locationbarcode}
{LocationName}
{locationname}
{Brand}
{brand}
{BrandName}
{brandname}
{BrandAbbrev}
{brandabbrev}
{ItemNumber}
{itemnumber}
{ItemDescription}
{itemdescription}
{PrintDate}
{printdate}

3 - Item Barcode (item grid page from 3 dots)

{ItemNumber}
{ItemDescription}
{ItemPrice}
{BrandName}
{BarcodeNumber}
{Brnd}
{ItemCost}
{ItemCost}

4 – PO Receive

{ItemNumber}
{ItemDescription}
{WarehouseName}
{Location}

{DistributorName}
{GrnNumber}
{GrnDate}
{poNumber}
{PODate}
{ItemPrice}
{InvoiceNumber}
{BrandName}
{BracodeNumber}
{Brnd}
{\$ItemCost}
{ItemCost}
{Job#}
{JobNumber}
{Ticket#}
{TicketNumber}
{CustomerName}
{ReceivedDate}
{LastTripTechnician}
{Claim#}
{CLAIM#}
{ClaimNumber}
{TrackingId}
{TrackingNumber}
{TrackingNo}

5 – Location Barcode (Item grid page Action Button)

{LocationBarcode}
{LocationName}